

Radiotherapy consent form for pancreatic cancer

This form should only be used if the patient is over 16 years old and has capacity to give consent. If the patient does not legally have capacity please use an appropriate alternative consent form from your hospital.

Patient details			
Patient name:		Date of birth:	
Patient unique identifier:		Name of hospital:	
Responsible consultant of	oncologist or consultant therape	eutic radiographer:	
Special requirements: eg, tr	ransport, interpreter, assistance		
Details of radiothe	rapy		
Radiotherapy type:	External beam radiotherapy		
Site:	Pancreas		
Aim of treatment: (Tick as appropriate)	 Neo-adjuvant – treatment given before surgery to shrink the tumour Adjuvant – treatment given after surgery to reduce the risk of cancer coming back Disease control – to help you live longer but not to cure your cancer Palliative – to improve your symptoms but not to cure your cancer 		
Concurrent systemic anti-cancer therapy: (Tick as appropriate)	☐ Yes with ☐ No (A separate consent form will cover the possible side-effects of this treatment)		
Contact details are provided	before starting, during or after y d here for any further queries, e to discuss your treatment further.	our radiotherapy.	

Possible early/short-term side-effects					
Start during radiotherapy or shortly after completing radiotherapy and usually resolve within two to six months of finishing radiotherapy. Frequencies are approximate.					
Expected 50%–100%	 ☐ Tiredness ☐ Nausea – feeling sick ☐ Abdominal discomfort or bloating 				
Common 10%–50%	 □ Diarrhoea □ Vomiting □ Indigestion or heartburn □ Loss of appetite □ Weight loss □ Abdominal pain or cramping 				
Less common Less than 10%	 □ Ulcers in the stomach or bowel □ Bleeding from the stomach or bowel □ Skin soreness, itching and colour changes in treatment area – white/lighter skin: pink, red, darker than surrounding area; brown skin: maroon or darker than surrounding area; black skin: darker than surrounding area, yellow/purple/grey colour changes □ Hair loss in the treatment area 				
Rare Less than 1%	☐ Bowel perforation – a hole in your bowel				
Specific risks to you from your treatment					
	I confirm that I have had the above side-effects explained. Patient initials				

Patient unique identifier:

Patient name:

Possible late or long-term side-effects

May happen many months or years after radiotherapy and may be permanent. Frequencies are approximate.			
Expected 50%-100%			

10%-50%	Malabsorption – difficulty digesting or absorbing nutrients from food	
Less common Less than 10%	 ☐ Ulcers in the stomach or bowel ☐ Bleeding from the stomach or bowel 	
	Bowel parrowing or obstruction (blockage of the bowel)	

Diabetes – new onset diabetes or complications from existing diabetes

□ B	owel perforation – a hole in your bowel
□ R	educed spleen function leading to increased risk of infection
	kin colour change in the treatment area – usually lighter or darker for any skin ton
	elangiectasia in the treatment area – small visible blood vessels which look like

opidat, make
 □ A different cancer in the treatment area □ Long term decline in kidney function

Specific risks to you from your treatment

Common

 \boldsymbol{I} confirm that \boldsymbol{I} have had the above side-effects explained.

Patient initials

Patient name:	Patient unique identifier:	Patient unique identifier:	
Statement of health professional	(to be filled in by health professional with appropriate knowledge of proposed procedure)		
 I have discussed what the treatment is likely to involve, the I have also discussed the benefits and risks of any available I have discussed any particular concerns of this patient. 			
Patient information leaflet provided: Yes / No – Details:	:		
Copy of consent form accepted by patient: \square Yes / \square No			
Signature:	Date:		
Name:	Job title:	Job title:	
Statement of patient		Statement of:	
 I have had the aims and possible side effects of treatmen opportunity to discuss alternative treatment and I agree described on this form. 	interpreter witness (where appropriate) I have interpreted the		
 I understand that a guarantee cannot be given that a par radiotherapy. The person will, however, have appropriate 	information contained in this form to the patient to		
 I have been told about additional procedures which are r to treatment or may become necessary during my treatn include permanent skin marks and photographs to help v planning and identification. 	the best of my ability and in a way in which I believe they can understand. or		
 I agree that information collected during my treatment, in records may be used for education, audit and research. If I am aware I can withdraw consent at anytime. 	I confirm that the patient is unable to sign but has indicated their consent.		
Tick if relevant		•	
☐ I confirm that there is no risk that I could be pregnant.		Signature:	
☐ I understand that I should not become pregnant during tr	reatment.		
Note: if there is any possibility of you being pregnant you must tell your hospital doc your treatment as this can cause significant harm to an unborn fetus. Testosterone a are not contraception.	Name:		
I understand that I should not conceive a child or donate my treatment and I will discuss with my oncologist when child after radiotherapy.	Date:		
☐ I understand that if I were to continue to smoke it could h side-effects I experience and the efficacy of my treatmer	Patient confirmation		
I do not have a pacemaker and/or implantable cardiovert	of consent (To be signed prior to the start of radiotherapy)		
I have a pacemaker and/or implantable cardioverter defile risks associated with this explained to me. Signature:	I confirm that I have no further questions and wish to go ahead with treatment.		
Patient name:	Date:	Patient initials	
		Date:	